





Eco-Friendly Professional Spray and Chemical Application Cabinets

Eco-Friendly Profesyonel Sprey ve Kimyasal Uygulama Kabinleri



3700

TYPE OF CABINET	A	B	C	D	E	TOTAL LAYOUT
WSCN-SAMPLE	2500	3700	3000	1400	2100	2100 x 3000 x 3700
WSCN-2R	2500	3700	3000	2400	3100	3100 x 3000 x 3700
WSCN-3R	2500	3700	3000	3500	4200	4200 x 3000 x 3700
WSCN-4R	2500	3700	3000	4500	5200	5200 x 3000 x 3700
WSCN-5R	2500	3700	3000	5500	6200	6200 x 3000 x 3700
WSCN-6R	2500	3700	3000	6500	7200	7200 x 3000 x 3700

SPECIFICATIONS	WSCN-SAMPLE	WSCN-2R	WSCN-3R
MODEL	WSCN-SAMPLE	WSCN-2R	WSCN-3R
No. Of Manikin	1	2	3
Material	AISI 316 & 304 / 1 - 1,5 - 2,5 mm	AISI 316 & 304 / 1 - 1,5 - 2,5 mm	AISI 316 & 304 / 1 - 1,5 - 2,5 mm
Manikin	Full Automatic Air Filling & Discharging	Full Automatic Air Filling & Discharging	Full Automatic Air Filling & Discharging
Power of the Fan Motor	1 x 2,2 kw (1 x 7.500 m ³ /h)	1 x 3kw (1 x 10.000m ³ /h)	1 x 3kw (1 x 10.000m ³ /h)
Compressed Air	6 Bar	6 Bar	6 Bar
Circulation Pump	304 / 316 Stainless Steel - 1,1kw	304 / 316 Stainless Steel - 1,5 kw	304 / 316 Stainless Steel - 1,5kw
Water Pool Volume	Around 1000 lt.	Around 1800 lt.	Around 2600 lt.
Weight	750 kg	1300 kg	1750 kg
Certificate	CE	CE	CE

SPECIFICATIONS	WSCN-4R	WSCN-5R	WSCN-6R
MODEL	WSCN-4R	WSCN-5R	WSCN-6R
No. Of Manikin	4	5	6
Material	AISI 316 & 304 / 1 - 1,5 - 2,5 mm	AISI 316 & 304 / 1 - 1,5 - 2,5 mm	AISI 316 & 304 / 1 - 1,5 - 2,5 mm
Manikin	Full Automatic Air Filling & Discharging	Full Automatic Air Filling & Discharging	Full Automatic Air Filling & Discharging
Power of the Fan Motor	2 x 3kw (2 x 10.000m ³ /h)	2 x 3kw (2 x 10.000m ³ /h)	3 x 3kw (3 x 10.000m ³ /h)
Compressed Air	6 Bar	6 Bar	6 Bar
Circulation Pump	304 / 316 Stainless Steel - 2,2kw	304 / 316 Stainless Steel - 3kw	304 / 316 Stainless Steel - 3kw
Water Pool Volume	Around 3300 lt.	Around 4100 lt.	Around 4800 lt.
Weight	2250 kg	2750 kg	3500 kg
Certificate	CE	CE	CE

The above values are not stable and can be changed on Project basis. Yukarıdaki değerler sabit değildir ve Proje bazında değişebilir.